gal representatives
considerations, eys and confirms
e appertaining.
in fee simple; by fully warrants d that said land
ear first above
The
))
//
E and
4 - /
//
 //

(SEAL)





Exhibit "A"

Commence at the Northwest corner of the Southwest quarter of Section 28, Township 2 North, Range 29 West, Santa Rosa County, Florida; thence run North 89 degrees 19 minutes 25 seconds East a distance of 949.37 feet; thence run South 01 degrees 14 minutes 24 seconds East a distance of 2086.70 feet to a capped medal rod (Licensed Business #5170) for the Point of Beginning; thence continue South 01 degrees 14 minutes 24 seconds East a distance of 514.82 feet to a 4" square concrete monument (#2819) on the Northerly right of way line of Berryhill Road (100' R/W); thence run South 87 degrees 46 minutes 07 seconds West along said Northerly right of way line a distance of 253.06 feet to a 1/2" metal rod; thence depart said Northerly right of way line North 01 degrees 14 minutes 24 seconds East a distance of 520.67 feet to a capped metal rod (Licensed Business #5170); thence run North 89 degrees 05 minutes 36 seconds East a distance of 253.01 feet to the Point of Beginning.

PNS-03-01605





COUNTY OF SANTA ROSA

ABUTTING ROADWAY MAINTENANCE DISCLOSURE

ATTENTION: Pursuant to Santa Rosa County Ordinance No. 95-05, sellers of residential lots are required to disclose to buyers whether abutting roadways will be maintained by Santa Rosa County. SANTA ROSA COUNTY WILL NOT ACCEPT FOR MAINTENANCE ANY ROADWAYS NOT BUILT OR IMPROVED TO MEET COUNTY STANDARDS. Ordinance 95-05 requires this disclosure be attached along with other attachments to the deed or other method of conveyance required to be made a part of the public records of Santa Rosa County, Florida. Note: Acceptance for filing by County employees of this disclosure shall in no way be construed as an acknowledgment by the County of the veracity of any disclosure statement.

NAME OF ROADWAY: 3870 Berryhill Rd.

LEGAL ADDRESS OF PROPERTY: 3870 Berryhill Rd.

THE COUNTY (xx) HAS ACCEPTED, () HAS NOT ACCEPTED THE ABUTTING ROADWAY FOR () DIRT, (xx) PAVED MAINTENANCE.

Florida, on this 5th day of February, 2003.	Turnshed by the Fubile World Department of Summittees Course,
RODNEY M. SLONE	
GWENDOLYN I. SLONE	
STATE OF	
COUNTY OF	
The foregoing instrument was acknown RODNEY M. SLONE and GWENDOLYN produced	owledged in my presence this theth day of May, 2003, by I. SLONE, husband and wife, personally known to me or who as identification.
Signature of Notary:	
My Commission Expires:	
(SEAL)	
Sichard W. Hohn	
Richard W. Hohn Word M. Solch	
Gloria M. Hohn	
OTHER OFFICE CALLES	

STATE OF X MAKE California

COUNTY OF San Drego

The foregoing instrument was acknowledged in my presence this the 29th day of May, 2003, by Richard W. Hohn and Gloria M. Hohn, , husband and wife, personally known to me or who produced

California Driver Licenses as identification.

Signature of Notary:

My Commission Expires: June 18 2001

de I dui

(SEAL)

GURDIAL GILL COMM. #1305216 NOTARY PUBLIC-CALIFORNIA SAN DIEGO COUNTY
Comm Expires June 18, 2005 Jeh Bush

Governor

4357473;

May-23-03 11:07AM;

Page 2/3



John () Agwunobi, M.D.,

Secretary

Date: Máy 19, 2003

Prosperity ID# 28-2N-29-0000-00906-0000

Name: Rodney Slone,

Address: 4595 Spanish Trail

Pensacola, Florida 32514

Regarding property: 3870 Berryhill Rd.

Dear Mr. Slone,

The installation of the OSTDS on the above referenced property was inspected by the Santa Rosa County Health Department on 05-19-99 Based on the information at the SRCHD; the system was installed and approved within the last 5 years.

This letter does not imply that the system will perform satisfactorily for a specific period of time. but that the systems are functioning at this time.

If we can be of further assistance, please do not hesitate to call us at (850) 983-5275.

Sincerely,

Raymond E. Lay

Environmental Supervisor

Santa Rosa County Health Department

Swichardle, Hohn Sloria 4n Sola

SANTA ROSA COUNTY HEALTH DEPARTMENT • P. O. Box 929 • MILTON, FLORIDA 32572-0929

Phone: (850) 983-5200 • SunCom 689-5200 • FAX (850) 983-5215 • SunCom 689-5215 <